

I T E C
Refining and Marketing Company Ltd.



3 Porter School Road
Barrington, IL 60010-2667 USA

Tel: +1 847-304 4700
Fax: +1 847-304 4710
E-mail: alcohol@itecref.com
URL: www.itecref.com

B-GRADE ANHYDROUS ETHYL ALCOHOL SPECIFICATIONS (99.3%)
(U.S. Specification)

<u>PARAMETER</u>	<u>Specification Limits</u>		<u>Method</u>
	<u>min.</u>	<u>max.</u>	
Alcohol strength	99.30% GL at 20°C		Alcoholmeter for GL
Acidity (as Acetic Acid)		30 ppm	ASTM D 1613
Acetal		100 mg/L	GC
Aldehydes (Acetaldehyde)		100 mg/L	GLC/ASTM D 5501
Esters (Ethyl Acetate)		120 mg/L	GLC/ASTM D 5501
Methanol		80 mg/L	GLC/ASTM D 5501
Total higher alcohols (N-Propanol, I-Butanol, I-Amyl alcohol, I-Propanol, N-Butanol)		400 mg/L	GLC/ASTM D 5501
Iso - Propanol		20 mg/L	GLC/ASTM D 5501
Cyclohexane		Absent	GLC/ASTM D 5501
Crotonaldehyde		Absent	GLC/ASTM D 5501
Toluene / Xylene / Other aromatics		Absent	GC
Hydrocarbons		Absent	ASTM D 1722
Benzene		Absent	U.V./GC
Dry Extract		40 mg/L	ASTM D 1353
1.4 Dioxane		Absent	GC/MS
M.E.G. Mono Ethylene Glycol		Absent	ASTM D 1296
Alkalinity		Negative	ASTM D 1613
Chlorides		1.0 ppm	GC
Sulfur		1 ppm	ASTM D 5453-06
Aspect	Clear, colorless and exempt of material in suspension		
Remarks	Free from components foreign to the raw material		
Odor	Characteristic		Organoleptic